



Comprehensive package

For senior citizens
(age 71-80)



The Comprehensive Package is intended for patients aged 71 and older who expect the highest level of healthcare. The Comprehensive Package provides you with **a broad range of medical services**, which includes **appointments and consultations with specialists, outpatient procedures, diagnostic tests and examinations, imaging scans and home visits**.

Payment options	Amount of instalment
Payment in 12 instalment (monthly)	699,00 PLN
Payment in 4 instalments (every 3 months)	2 034,00 PLN
Payment in 2 instalments (every 6 months)	3 984,00 PLN
Lump payment	7 548,00 PLN
Monthly rate in a case of annual payment	629,00 PLN

The contract is concluded for 12 months

Comprehensive Package:

Scope of medical care	
Medical Helpline 24/7	•
Online Consultations	•
Physician Consultations	•
Physician and medical specialist consultations (28)	•
Dietician consultations	•
On-duty physician consultations (5)	•
LUX MED MentalCare Mental Health Support	•
Flu and tetanus vaccinations	•
Nursing procedures	•
Outpatients procedures (77)	•
Laboratory test panel (no referral needed)	•
Diagnostic tests and examinations (693)	•
Allergy tests	•
Physiotherapy	•
Preventive health check	•
Home visits - limited	•
Dentistry	•
Second Medical Opinion	•
10% discount on other services offered by LUX MED and Medycyna Rodzinna	•
10% discount on medical procedures provided in PROFEMED	•
Access to LUX MED Group's (LUX MED and Medycyna Rodzinna) own facilities listed at www.luxmed.pl	•
Nationwide network of partner facilities listed at http://www.luxmed.pl/placowkiwspolpracujace	•

* The detailed list of services which are the part of the Package is defined in Detailed definitions of services.

The presented table is only a dictionary of services available in the Package.

Detailed definitions of the services



Medical Helpline 24/7

Medical Helpline 24/7 is provided to the Eligible Person in cases requiring the Eligible Person to obtain immediate consultation by a Physician or medical specialist.

The health benefit consists in the possibility for an Eligible Person to obtain telephone advice from medical personnel (doctors, nurses) regarding:

- internal medicine
- family medicine
- nursing

through 24/7 nationwide medical helpline of the LUX MED Group.

In medically justified situations, medical personnel providing advice to an Eligible Person **may:** refer them to an on-site visit; recommend that an emergency medical team be called to them; refer them to a Hospital Emergency Department on an urgent basis.

The following documents **cannot be issued** through Medical Helpline 24/7:

- ✓ **e-prescriptions** for: vaccines; narcotics drugs, drugs with strong sedative, analgesic, anti-anxiety effects (which require on-site consultation for medical indications); preparations with addictive potential; postcoital contraception (so-called emergency contraception);
- ✓ **e-referrals** for: diagnostic tests and examinations including: procedures using ionizing radiation; biopsies; endoscopic tests; exercise tests.

The final decision to issue an e-prescription/e-referral/e-sick leave during a Medical Helpline consultation is at the discretion of the Physician who may refuse to issue such a document, based on medical indications and the Entitled Person's welfare.

Medical Helpline 24/7 is available only to an Eligible Person. Use of the Health Benefit by third parties is not permitted. The Eligible Person is obliged to provide data in accordance with the facts, in accordance with the principles of reliability and due diligence required for the use of health services.

Medical Helpline 24/7 is used to provide an Eligible Person with remote medical consultations in situations that do not require intervention in a life or health emergency. Due to its remote nature, this service is not a substitute for an on-site consultation, as it does not allow for a physical examination.



Online Consultations

The health service "Online Consultations" allows an Eligible Person to make an interactive one-on-one conversation with a Physician, midwife or nurse via ICT systems or communication systems provided by LUX MED. The consultations are provided in the fields of:

- internal / family medicine
- obstetrics

Consultations within the service may be used by Eligible Persons with full access to the Patient Portal.

Accessibility of "Online consultations" with a Physician, a midwife or a nurse depends on the schedule of medical specialists and can be accessed under the "Online Consultation" tab in the Patient Portal. An Eligible Person may choose a communication channel from among those provided by LUX MED in the Patient Portal. The service is accessed by "queuing" the Eligible Person under the "Online Consultation" tab. The content of an "Online Consultation" is saved and entered into the Eligible Person's medical records.

An online consultation **does not replace** an in-person consultation because there are no direct examinations. In medically justified cases, the medical specialist may refuse remote advice and refer the Eligible Person for an in-patient consultation.

Online consultation is available only to Eligible Persons. Use of the service by third parties is not permitted. The Eligible Person is obliged to provide data in accordance with the facts, in accordance with the principles of reliability and due diligence required for the use of health services.

As part of an online consultation a medical specialist **can:**

- ✓ issue an e-prescription (for continuation of chronic treatment or de novo treatment – according to documentation and medical indications);

- ✓ issue medical recommendations resulting from an online consultation, a medical certificate in case of medical indications;
- ✓ issue a referral: for tests and examinations, to another specialist, for another online consultation or for an in-patient service.

As part of an online consultation a medical specialist **cannot issue**:

- ✓ e-sick leaves;
- ✓ referrals for medical examinations with the use of ionising radiation;
- ✓ referrals for biopsy, endoscopy and exercise tests;
- ✓ e-prescriptions for: vaccines; narcotics drugs, drugs with strong sedative, analgesic, anti-anxiety effects (which require on-site consultation for medical indications); postcoital contraception (emergency contraception).

If medically justified, a medical specialist providing an online consultation **may refuse** to give remote medical advice and refer the Eligible Person for an in-person consultation with a physician, midwife or nurse.

The final decision to issue an e-prescription during an online consultation is at the discretion of the Physician who may refuse to issue such a document, based on medical indications and the Entitled Person's welfare.



Physician Consultations

The health service "Physician Consultations" allows an Eligible Person to receive a consultation with a Physician **without the need for a referral**. These consultations are carried out in case of: health complaints, sudden illnesses and for general medical advice.

Consultations can be provided:

- ✓ on-site – in medical facilities indicated by LUX MED;
- ✓ remotely – in the form of telephone, online or video consultations;
- ✓ in Infection Treatment Centres – in the form of on-site visits for Entitled Persons with symptoms of infections, provided in selected Medical Facilities indicated by LUX MED.

The form in which consultations are carried out is determined by LUX MED – up-to-date information in this regard may be obtained by the Eligible Person at the Patient Portal or through the LUX MED Phone Line.

The scope of the Health Benefit depends on the form of its implementation and **may include**: taking a medical history, providing advice by a Physician and performing basic activities necessary to make a diagnosis, make a therapeutic decision or monitor the treatment process.

A healthcare service relates to a consultation in the field of:

- internal medicine
- family medicine.

The health service "Physician Consultations" does not include: consultations provided by Doctors on duty, Doctors holding a postdoctoral degree, a professor title, or Doctors holding the positions of: associate professor or full professor.



Physician and medical specialist consultations

The health service "Physician and medical specialist consultations" allows an Eligible Person to receive a consultation with a Physician or a medical specialist in the case of health complaints, sudden illnesses and for general medical advice.

Consultations can be provided:

- ✓ on-site – in medical facilities indicated by LUX MED;
- ✓ remotely – in the form of telephone, online or video consultations;
- ✓ in Infection Treatment Centres – in the form of on-site visits for Entitled Persons with symptoms of infections, provided in selected Medical Facilities indicated by LUX MED.

The form in which consultations are carried out is determined by LUX MED – up-to-date information in this regard may be obtained by the Eligible Person at the Patient Portal or through the LUX MED Phone Line.

The scope of the Health Benefit depends on the form of its implementation and **may include**: taking a medical history, providing advice by a Physician or a medical specialist and performing basic activities necessary to make a diagnosis, make a therapeutic decision or monitor the treatment process.

The scope of consultation depends on the age of the Eligible Person and a requirement for a referral:

Eligible Persons **over 18 years of age** may use consultations **without the need for a referral** in the following fields:

- allergology
- cardiology
- dermatology
- diabetology
- endocrinology
- gastroenterology
- general surgery
- gynaecological endocrinology
- gynaecology
- haematology
- hepatology
- immunology
- infectious diseases
- laryngology
- medical rehabilitation
- nephrology
- neurology
- neurosurgery
- oncology
- ophthalmology
- optometry
- orthopaedics
- proctology
- pulmonology
- rheumatology
- surgical oncology
- urology
- vascular surgery

The health service "Physician and medical specialist consultations" **does not include**: consultations provided by Doctors on duty, Doctors holding a postdoctoral degree, a professor title, or Doctors holding the positions of: associate professor or full professor.



Dietician consultations

The health service "Dietitian Consultation" allows an Eligible Person to use **3 consultations with a dietitian** during each **12-month agreement period**.

Consultations can be provided:

- ✓ on-site – in medical facilities indicated by LUX MED;
- ✓ remotely – in the form of telephone, online or video consultations;

The form in which consultations are carried out is determined by LUX MED – up-to-date information in this regard may be obtained by the Eligible Person at the Patient Portal or through the LUX MED Phone Line.

Consultations **include**: history taking and general dietary recommendations.

Consultations **do not include**: the development of individual nutrition plans (setting an individual diet).

The healthcare service is provided in accordance with the rules listed below:

Eligible Persons **over 18 years of age** may use consultations **without the need for a referral**.

24

On-duty physician consultations

The service includes exclusively basic emergency assistance in a sudden onset of an illness or in injuries requiring initial dressing which have occurred within 24 hours preceding the receipt of a consultation request by LUX MED. On-duty doctors are available within the working hours of outpatient Medical Facilities indicated by LUX MED separately, only on the day of reporting it. The service does not include healthcare services provided to save life and health in accordance with the National Medical Rescue Act (Journal of Laws 2006.191.1410, as amended).

The service includes: medical history taking, physician's advice and basic procedures necessary for making an initial diagnosis, taking an appropriate therapeutic decision and refers to consultations within the following scope (provided that the consultations are available in the facility):

- Internal medicine
- Family doctor
- general surgery
- orthopaedics



LUX MED MentalCare Mental Health Support

The healthcare service "LUX MED MentalCare Mental Health Support" provides an Eligible Person with access to mental health assistance.

The scope of assistance, depending on the age of the Eligible Person, may include: **consultation of Physicians and specialists in mental health and speech development**, as well as **access to the Mental Health Platform** (detailed scope for each age category of Eligible Persons is indicated below).

Consultations with physicians and with mental health and speech therapy specialists can be conducted in the following formats:

- ✓ on-site – in medical facilities indicated by LUX MED;
- ✓ remotely – in the form of telephone, online or video consultations.

The format is determined by LUX MED – up-to-date information in this regard may be obtained by the Eligible Person on the Patient Portal or through the LUX MED HotLine.

Consultations **include** history taking, specialist advice and basic activities necessary to establish a diagnosis, implement relevant therapeutic activities and monitor the treatment process.

Consultations **do not** include:

- ✓ consultations carried out by physicians with a postdoctoral degree, professors, associate or full professors;
- ✓ consultations in the fields of speech therapy for the hearing impaired and neuro speech therapy;
- ✓ management of therapy;
- ✓ psychological diagnostics;
- ✓ services provided by the non-public psychological and pedagogical clinic.

The Mental Health Platform is a digital medical service provided by LUX MED for Eligible Persons over the age of 18, available by logging into a verified Patient Portal account. It complements medical consultations, provides preventive support in between visits to a specialist, and gives access to medical information as part of self-care for those concerned about mental well-being.

The platform provides the Eligible Person with access to clinically validated content and tools to support mental health. By using the functionalities available on the Platform, the Eligible Person may:

- ✓ perform initial symptom qualification and obtain referral for standardized screening tests (depression, anxiety, chronic stress, overwork, ADHD),
- ✓ get recommendations for personalized preventive pathways based on test results,
- ✓ keep a mood and sleep diary with a timeline presentation of trends,
- ✓ receive prophylactic tasks from psychologists and psychiatrists to complete and undergo verification of their implementation between visits.

Eligible Persons may use the following:

- access to the **Mental Health Platform** and
- **without referral, in each 12-month agreement period, one consultation** in one of the following areas: **psychiatry or psychology or sexology or speech therapy**.



Nursing procedures

The health service "Nursing procedures" is provided at medical facilities designated by LUX MED and consists in basic measurements and minor procedures, including diagnostic procedures, in accordance with the professional competence of the nurse or midwife.

The scope of available nursing procedures depends on:

- ✓ the range of consultations with Physicians, which the Eligible Person may use under the concluded agreement;
- ✓ the age of the Eligible Person;
- ✓ the availability of the procedure at a given medical facility designated by the LUX MED.

The health service "Nursing procedures" **includes**:

procedures performed **on a doctor's recommendation**:

- intravenous injection
- subcutaneous/intramuscular injection
- emergency drip administration
- blood drawing
- oral medicine administration in emergency
- placement/change/removal of a small dressing

procedures performed **without a referral**:

- office-based midwife service – breast palpation
- body temperature measurement
- blood pressure measurement
- height and weight measurement

Standard medical materials and supplies used during the above-specified procedures such as: dressings, bandages, cannulae, syringes, swabs, adhesive strips, needles, serum — tetanus antitoxin and disinfectants **are provided by LUX MED free of charge**.

In the case of use of other materials or medical supplies not included above, an additional fee may be charged to the Eligible Person – in accordance with the applicable price list of the respective Medical Facility designated by LUX MED.



Outpatient procedures

The health service "Outpatient procedures" includes measurements and medical procedures performed by a Physician, nurse or another medical professional, according to their competence, as part of:

- ✓ a medical consultation, during which there is a need to perform a given procedure, or
- ✓ a separate treatment visit that does not require a medical consultation.

The procedures are performed at medical facilities indicated by LUX MED **with no need for a hospital stay or operating room standards**.

The scope of available procedures depends on:

- ✓ the scope of consultations with Physicians and medical specialists to which the Eligible Person is entitled;
- ✓ the age of the Eligible Person;
- ✓ their availability at a given medical facility.

If an outpatient procedure is marked below as "**standard***" it should be understood as a service that is generally available and commonly used in the territory of the Republic of Poland, in accordance with current medical knowledge and clinical practice accepted under the conditions of the health care system in Poland.

The health service "Outpatient procedures" **includes**:

Basic outpatient medical treatments:

- blood pressure measurement
- non-surgical tick removal
- height and weight measurement

Outpatient surgical procedures:

- stitching a wound of up to 3 cm
- removal of a boil / small skin abscess (up to 2 cm)
- removal of another foreign body without incision
- surgical tick removal
- suture removal after procedures performed out of the medical facilities indicated by LUX MED, qualification based on the LUX MED doctor's assessment (we do not remove sutures after childbirth)

- suture removal in a treatment room after procedures performed in the Medical Facilities indicated by LUX MED
- classical surgical excision of a skin lesion of up to 1,5 cm due to medical indications (does not include lesions excised due to aesthetic, plastic indications) with standard histopathological examination – specimen from the skin lesion removed
- placement/change/removal – small dressing (not requiring surgical debridement)

Outpatient laryngological procedures:

- Eustachian tube examination, insufflation
- nasal administration of mucosa-shrinking medicine in emergency cases
- electrocoagulation of blood vessels of the nasal septum
- catheterisation of the Eustachian tube
- coagulation of blood vessels of the nasal septum
- incision of auricular haematomas
- incision of haematomas of the nasal septum
- closed reduction of the nose
- ear irrigation

- sinus rinse
- incision of the lingual frenulum in the oral cavity
- simple laryngological dressing
- removal of a foreign body from the nose/ear
- suture removal after laryngological procedures performed outside of Medical Facilities indicated by LUX MED, qualification based on the LUX MED doctor's assessment
- suture removal in a treatment room after laryngological procedures performed at the Medical Facilities indicated by LUX MED

- nasal tamponade removal
- laryngeal clysis
- application/change/removal of a drain in the ear canal

Outpatient ophthalmologic procedures:

- visual acuity examination
- corrective lens selection (excludes varifocal lenses)
- gonioscopy (iridocorneal angle assessment)
- lacrimal duct irrigation
- medicine instillation into the conjunctival sac

Outpatient orthopaedic procedures:

- intra-articular and peri-articular block
- adjustment of small orthopaedic devices — big joints
- adjustment of small orthopaedic devices — small joints
- reposition of a dislocation or fracture
- preparation: traditional cast — tape
- intra-articular puncture — taking sample material for examination

Outpatient dermatological procedures:

- standard* dermatoscopy
- aesthetic cryotherapy dermatological procedure, 1 to 6 lesions
- aesthetic cryotherapy dermatological procedure, 7 to 10 lesions

Outpatient gynaecological procedures:

- hPV HR test with possible LBC cytology (in the case of a positive HPV HR result)
- insertion of an intrauterine device
- removal of an intrauterine device

Outpatient allergological procedures:

- allergy immunotherapy with an allergological consultation

Anaesthesia:

- local (infiltration or permeation) anaesthesia

Biopsy with standard histopathological examination – fine-needle biopsy material

- fine-needle biopsy — skin
- fine-needle biopsy — breast nipple
- fine-needle biopsy — salivary gland

Other outpatient procedures:

- Foley catheter removal
- enema
- local (topical) anesthesia for endoscopy

- unilateral dressing of nasal hemorrhage
- bilateral dressing of nasal hemorrhage

- standard* autorefractometry
- standard* ocular fundus examination
- standard* stereoscopic vision examination
- standard* intraocular pressure measurement
- removal of a foreign body from the eye

- Dessault type immobilisation (small/large)
- intra-articular and peri-articular injection
- placement/change/removal — small dressing
- cast application
- placement of a jacket type traditional plaster cast
- lower limb plaster cast removal
- upper limb plaster cast removal

- aesthetic electrotherapy dermatological procedure, 1 to 6 lesions
- aesthetic electrotherapy dermatological procedure 7 to 10 lesions
- dermatological procedure — removal and coagulation of skin fibromas

- cervical and labial procedures — cryocoagulation
- cervical procedures cryocoagulation — treatment of erosions

Standard medical materials and supplies used during the above-specified procedures such as: dressings, bandages, cannulae, syringes, swabs, adhesive strips, needles, serum — tetanus antitoxin and disinfectants **are provided by LUX MED free of charge**.

In the case of use of other materials or medical supplies not included above, an **additional fee may be charged** to the Eligible Person – in accordance with the applicable price list of the respective Medical Facility.



Flu and tetanus vaccinations

The health service “Flu and tetanus vaccinations” as part of infectious disease prevention **includes** vaccinations against seasonal flu and tetanus (anti-tetanus anatoxin).

As part of this health service an Eligible Person may receive:

- a medical consultation a nurse
- consultation before vaccination
- a vaccine (medicinal product)
- nursing service consisting in giving an injection

Flu and tetanus vaccinations are performed at Medical Facilities indicated by LUX MED.

Additional recommended preventive vaccinations

 The health service "Additional recommended preventive vaccinations" is performed at Medical Facilities indicated by LUX MED based on a referral issued by LUX MED.

The service covers vaccinations against the following diseases (including combination vaccines):

- tick-borne encephalitis
- hepatitis B
- hepatitis
- measles, mumps, rubella

As part of this health service an Eligible Person may receive:

- a medical consultation a nurse
- a vaccine (medicinal product)
- a consultation before vaccination
- nursing service consisting in giving an injection



Laboratory test panel (no referral needed)

The health service "Laboratory testing panel (no referral needed)" allows an Eligible Person to perform **once during each 12-month agreement period** the set of laboratory tests specified below.

The health service is performed **with no referral needed** at Medical Facilities indicated by LUX MED.

If a laboratory test is marked below as "**standard***" it should be understood as a service that is generally available and commonly used in the territory of the Republic of Poland, in accordance with current medical knowledge and clinical practice accepted under the conditions of the health care system in Poland.

The scope of laboratory tests depends on the age of the Eligible Person and **includes**:

and additionally for Eligible Persons **over 18 years of age**:

- fasting glucose
- lipid profile
- urinalysis
- blood count + platelet count + automated smear
- hPV HR test with possible LBC cytology (in the case of a positive HPV HR result)
- TSH



Diagnostic tests and examinations

The health service "Diagnostic tests and examinations" are performed:

- ✓ **on the basis of a referral** issued by the Physician, solely on the basis of medical indications in the course of the ongoing diagnostic and therapeutic procedure,
- ✓ in medical facilities indicated by LUX MED.

The results of diagnostic tests are provided to the Eligible Person on a carrier in accordance with the standards in force in a given Medical Facility.

Unless otherwise indicated below, the health service "Diagnostic tests and examinations" **does not include**:

- ✓ **laboratory diagnostics using strip tests;**
- ✓ **tests performed using molecular biology techniques;**
- ✓ **contrast media for computed tomography and magnetic resonance imaging examinations;**
- ✓ **imaging diagnostics in the field of ultrasonography using techniques such as: Doppler, 3D, 4D or elastography.**

If a test or an examination from the scope of "Diagnostic tests and examinations" is marked as "**standard***" it should be understood as a service that is generally available and commonly used in the territory of the Republic of Poland, in accordance with current medical knowledge and clinical practice accepted under the conditions of the health care system in Poland.

The scope of the tests and examinations **includes only** procedures necessary to assess the health of the Eligible Person in accordance with current medical knowledge and applicable standards of treatment and diagnosis:

Laboratory diagnostics:

Haematology and coagulation tests with taking test samples (blood):

- antithrombin III
- APTT
- C protein activity
- S protein free
- thrombin time — TT
- D-dimers
- absolute eosinophil count (blood smear)
- fibrinogen
- INR / prothrombin time
- blood count + platelet count + automated smear

- ESR
- platelets

Biochemical and hormonal tests, tumour marker tests with taking test samples (blood):

- 120' after administration of 1 MCP tablet
- 17 – OH progesterone
- 30' after administration of 1 MCP tablet
- 60' after administration of 1 MCP tablet
- acid phosphatase
- adrenocorticotrophic hormone (ACTH)
- AFP — alpha-fetoprotein
- albumins
- aldolase
- aldosterone
- alkaline phosphatase
- alkaline phosphatase – bone fraction
- alpha-1 – antitrypsin
- alpha-1 acid glycoprotein (Orosomucoid)
- amylase
- androstenedione
- angiotensin-converting enzyme (ACE)
- apolipoprotein A1
- beta hCG – tumour marker
- blood-cell cholinesterase / blood-cell acetylcholinesterase
- CA 125
- CA 15.3 – breast cancer antigen
- CA 19.9 — gastrointestinal cancer antigen
- calcitonin
- calcium (Ca)
- CEA — carcinoembryonic antigen
- ceruloplasmin
- chlorides (Cl)
- cholesterol
- cholinesterase
- CK – MB activity
- CK – MB mass
- CK (creatine kinase)
- copper
- cortisol in the afternoon
- cortisol in the morning
- C-peptide
- creatinine
- creatinine clearance
- CRP, quantitative
- cystatin C
- dehydroepiandrosterone (DHEA)
- DHEA – S
- direct bilirubin
- directly measured LDL cholesterol
- erythropoietin
- fasting glucose
- fasting insulin
- ferritin
- folic acid
- free estriol
- free PSA
- free T3
- free T4
- manual blood smear
- free testosterone
- FSH
- gastrin
- GGTP
- glucose 120' after a meal
- glucose 60' after a meal
- glucose 75 g, 1-hour glucose challenge test
- glucose 75 g, 2-hour glucose challenge test
- glucose 75 g, 3-hour glucose challenge test
- glucose 75 g, 4-hour glucose challenge test
- glucose 75 g, 5-hour glucose challenge test
- GOT / AST transaminase
- GPT / ALT transaminase
- growth hormone (GH)
- haptoglobin
- HbA1c – glycated haemoglobin
- HDL cholesterol
- homocysteine
- IgA immunoglobulin
- IgE immunoglobulin (total IgE)
- IGF – BP 3
- IgG immunoglobulin
- immunoglobulin IgM
- insulin – 1 hour after 75 g glucose ingestion
- insulin – 2 hours after 75 g glucose ingestion
- insulin – 3 hours after 75 g glucose ingestion
- insulin – 4 hours after 75 g glucose ingestion
- insulin – 5 hours after 75 g glucose ingestion
- insulin / insulin 120'
- insulin / insulin 60'
- iron (Fe)
- iron (Fe) 120 min after administration (absorption curve)
- iron (Fe) 180 min after administration (absorption curve)
- iron (Fe) 240 min after administration (absorption curve)
- iron (Fe) 300 min after administration (absorption curve)
- iron (Fe) 60 min after administration (absorption curve)
- free kappa light chains in serum
- free lambda light chains in serum
- LDH – lactate dehydrogenase
- LDL cholesterol
- LH
- lipase
- lipid profile (CHOL, HDL, LDL, TG)
- macroprolactin
- magnesium (Mg)
- myoglobin
- occult iron binding capacity (UIBC)
- oestradiol
- osteocalcin (bone formation marker)
- parathyroid hormone
- phosphorus (P)
- plasma renin activity
- potassium (K)
- progesterone

- prolactin
- prostatic acid phosphatase
- protein profile
- PSA panel (PSA, FPSA, FPSA / PSA index)
- reticulocytes
- SCC – squamous cell carcinoma antigen
- SHBG
- sodium (Na)
- somatomedin – (IGF – 1)
- testosterone
- thyroglobulin
- total beta-hCG
- total bilirubin
- total iron binding capacity, TIBC

Serology tests and infection diagnostics with taking test samples (blood):

- anti-HAV – IgM
- anti-HAV – total
- lupus anticoagulant
- ASO, quantitative
- echinococcosis (*Echinococcus granulosus*) IgG
- borreliosis (Lyme disease) IgG
- borreliosis IgG Western-blot method (confirmatory test)
- borreliosis (Lyme disease) IgM
- borreliosis IgM Western-blot method (confirmatory test)
- brucellosis – IgG
- brucellosis – IgM
- C1 – inhibitor
- C1 – inhibitor (activity)
- complement component 3 (C3)
- complement component 4 (C4)
- cytomegalovirus (CMV), IgG
- cytomegalovirus (CMV), IgM
- cytomegaly – IgG avidity test
- EBV / mononucleosis – latex
- EBV / mononucleosis IgG
- EBV / mononucleosis IgM
- ascaris lumbricoides (ASCARIS) IGG
- blood group (ABO), Rh factor and antibody screening
- HBc IgM antibodies
- HBc Ab total
- HBe Ab
- Hbe Ag
- HBs antibodies
- HBs antigen
- HCV Ab/antibodies
- Helicobacter pylori IgG, quantitative
- HIV-1/HIV-2
- hsCRP
- HSV / Herpes 1 and 2 – IgG – qualitative
- HSV / Herpes 1 and 2 – IgM – qualitative
- pertussis – IgA
- pertussis – IgG
- pertussis – IgM
- listeriosis – qualitative
- mycoplasma pneumoniae – IgG
- mycoplasma pneumoniae – IgM
- FTA test

- total protein
- total PSA
- total T3
- total T4
- transferrin
- triglycerides
- TSH/hTSH
- urea / urea nitrogen / BUN
- uric acid
- vitamin B12
- vitamin D3 – 25-OH metabolite
- zinc
- zinc protoporphyrin (ZnPP) in red blood cells
- β_2 microglobulin

- TPHA test
- Waaler-Rose test
- tick-borne encephalitis IgM antibodies
- HLA B27 antigen assay
- anti-glomerular basement membrane (GBM) antibodies and anti-alveolar basement membrane (ABM) antibodies, method: IIF
- glutamic acid decarboxylase (anti-GAD) antibodies
- antibodies to dsDNA, method: IIF
- tyrosine phosphatase (IA2) antibodies
- antibodies to *Ascaris lumbricoides*, IgG
- antibodies against striated muscles, method: IIF
- anti-neutrophil cytoplasmic antigen antibody ANCA (pANCA and cANCA), method: IIF
- bile duct antibodies, method: IIF
- antibodies against striated muscles and cardiac muscle (myasthenia gravis), method: IIF
- anti-nucleosome antibodies (ANuA) (IMMUNOBLOT)
- antibodies to pemphigus and pemphigoid, method: IIF
- Anti-*Saccharomyces cerevisiae* antibodies (ASCA) IgG, method: IIF
- a-microsomal / anti-TPO antibodies
- anticardiolipin antibodies – IgG
- anticardiolipin antibodies – IgM
- anticardiolipin antibodies – IgG and IgM
- antithyroglobulin / anti-TG antibodies
- immune antibody screening / alloantibodies
- anti-beta-2-glycoprotein I IGG antibodies
- anti-beta-2-glycoprotein I IGM antibodies
- anti-beta-2-glycoprotein IgG and IgM antibodies (total)
- anti-CCP antibodies
- anti-phosphatidylinositol IgG antibodies
- anti-phosphatidylinositol IgM antibodies
- antibodies to adrenal cortex
- anti-tGT (anti-tissue transglutaminase) IgG and IgA antibodies, method:
- chlamydia pneumoniae IgA antibodies
- chlamydia pneumoniae IgG antibodies
- chlamydia pneumoniae IgM antibodies
- chlamydia trachomatis IgA antibodies
- chlamydia trachomatis IgG antibodies
- chlamydia trachomatis IgM antibodies

- coxsackie antibodies
- antibodies to Castle's and parietal cells (APCA) method: ELISA
- antibodies to double-stranded / native DNA – dsDNA (nDNA)
- endomysium IgA antibodies – EmA IgA
- endomysium IgG antibodies – EmA IgG
- endomysium IgG, IgA antibodies – EmA
- antibodies to myocardial cells (HMA)
- anti-parietal cell antibodies (APCA), method: ELISA
- anti-smooth muscle antibodies (ASMA)
- anti-mitochondrial antibodies (AMA)
- anti-liver kidney microsomal antibodies (Anti-LKM), method: IIF
- anti-tGT (anti-tissue transglutaminase) IgA antibodies, method:
- anti-tGT (anti-tissue transglutaminase) IgG antibodies, method:
- antibodies full liver panel (ANA1, AMA, ASMA, LKM), method: IIF
- antibodies to acetylcholine receptors (AChR-Ab)

Urine tests with taking test samples (urine):

- 17-hydroxycorticosteroids in 24-hour urine collection
- 17-ketosteroids in 24-hour urine collection
- albumin in 24-hour urine collection
- albumin in urine
- aldosterone in 24-hour urine collection
- amylase in urine
- Bence-Jones protein in urine
- total protein/24-hour urine collection
- urine protein
- chlorides (Cl) in urine
- chlorides (Cl) in urine/24-hour urine collection
- phosphorus in urine
- phosphorus in urine / 24-hour urine collection
- glucose and ketones in urine
- cadmium in blood
- catecholamines (noradrenaline, adrenaline) – 24-hour urine collection
- coproporphyrins in urine
- cortisol – 24-hour urine collection
- creatinine in urine
- creatinine in urine/24-hour urine collection
- 5-hydroxyindoleacetic acid in 24-hour urine collection (5-hiaa)
- delta - aminolevulinic acid (ALA)
- hippuric acid in urine / 24-hour urine collection

Bacteriological tests with taking swab:

- chlamydia pneumoniae antigen, method: IIF swab
- chlamydia pneumoniae antigen, method: IIF swab – other material
- chlamydia pneumoniae antigen, method: IIF – throat swab
- chlamydia trachomatis antigen, method: IIF swab – other material
- chlamydia trachomatis antigen, method: IIF – urethral swab
- chlamydia trachomatis antigen, method: IIF – endocervical swab

- antibodies to TSH receptors (TRAb)
- anti-nuclear ANA1 PPJ antibodies, method: IIF (illumination type, titer)
- anti-nuclear ANA2 PPJ antibodies, method: immunoblot (16 antigens)
- pneumocystosis IgG – quantitatively
- pneumocystosis IgM – quantitatively
- RF — rheumatoid factor — quantitative
- rubella IgG
- rubella IgM
- syphilis serology – FTA – ABS confirmatory test
- basic syphilis serology (VDRL orUSR or anti-TP)
- SLE – semi-quantitative
- mumps – IgG
- mumps – IgM
- BTA test
- toxoplasmosis – IgG avidity test
- toxoplasma IgG
- toxoplasma IgM
- toxocariasis IgG (semi-quantitative)
- trichinosis, IgG

- uric acid in urine
- uric acid in urine / 24-hour urine collection
- vanillylmandelic acid (VMA) in urine
- kappa light chains in urine
- lambda light chains in urine
- magnesium (Mg) in urine
- magnesium (Mg) in urine / 24-hour urine collection
- metoxycatecholamines – 24-hour urine collection
- urinalysis
- urea / urea nitrogen / BUN / 24-hour urine collection
- urea / urea nitrogen / BUN in urine
- lead (Pb) in urine
- lead (Pb) in urine / 24-hour urine collection
- potassium (K) in urine
- potassium (K) in urine / 24-hour urine collection
- mercury/Hg in urine
- D-Pyrilinks (bone resorption marker) / chemical composition of renal calculus
- sodium (Na) in urine
- sodium (Na) in urine / 24-hour urine collection
- oxalates in 24-hour urine collection
- calcium in urine
- calcium (Ca) in urine / 24-hour urine collection
- albumin creatinine ratio (ACR) in urine

- vaginal microbiological test (vaginal biocenosis)
- eosinophils in nasal swab
- stool culture for pathogenic E. coli in children under 2 years of age
- stool culture for Yersinia enterocolitica
- faeces — general culture
- faeces culture for *Salmonella* and *Shigella*
- mycoplasma hominis and ureaplasma urealiticum urethral swab

- mycoplasma hominis and ureaplasma urealiticum endocervical swab
- pinworms – anal swab
- urine culture
- semen — aerobic culture
- sputum culture
- culture of human milk from left breast – aerobic
- culture of human milk from right breast – aerobic
- abscess content culture
- abscess content – anaerobic culture
- urethral swab for GC (GNC) culture
- endocervical smear for GC
- vaginal smear for GC
- left ear seton – aerobic culture
- right ear seton – aerobic culture
- breast discharge – aerobic culture
- foreskin swab – aerobic culture
- urethral swab
- urethral swab – anaerobic culture
- furuncle swab
- gingival swab – aerobic culture
- throat/tonsil swab aerobic
- oral swab — aerobic culture
- tongue swab – aerobic culture
- cervical swab
- endocervical smear – anaerobic culture
- laryngeal swab – aerobic culture
- laryngeal swab for *Pneumocystis carini*
- nasal swab
- nasal swab – aerobic culture
- nasopharyngeal swab – anaerobic culture
- nasopharyngeal swab – aerobic culture
- anal swab culture for SS
- anal swab – aerobic culture
- anal area swab – culture
- rectal swabs and vaginal swabs towards group B *Streptococcus* (GBS)
- eye swab – aerobic culture
- ulceration swab – aerobic culture
- umbilical swab – aerobic culture
- vaginal swab – anaerobic culture
- vaginal swab – aerobic culture
- penile swab – aerobic culture
- wound swab
- wound swab – anaerobic culture
- ear swab – anaerobic culture
- ear swab – aerobic culture
- vulvar swab – aerobic culture
- skin lesion swab – aerobic culture

Faecal tests with taking test samples:

- *Helicobacter pylori* – faecal antigen
- faeces – *Clostridium difficile* – GDH and toxin A/B antigen
- faeces – general analysis
- stool ELISA analysis for *lamblia*

Cytology tests with taking test samples:

- hPV HR test with possible LBC cytology (in the case of a positive HPV HR result)

Mycological tests with taking swab:

- mycological examination – hand epidermis fungal culture – scrapings
- mycological examination – foot epidermis fungal culture – scrapings
- mycological examination – scalp fungal culture – scrapings
- mycological examination — fingernail fungal culture
- mycological examination — toenail fungal culture
- mycological examination — hair fungal culture
- mycological examination — skin fungal culture
- mycological examination — skin scraping fungal culture
- faeces culture for yeast-like fungi
- urine culture for yeast-like fungi
- semen culture for yeast-like fungi
- sputum culture for yeast-like fungi
- abscess content culture for yeast-like fungi
- secretion culture for yeast-like fungi
- pharyngeal swab culture for yeast-like fungi
- foreskin swab culture for yeast-like fungi
- urethral swab culture for yeast-like fungi

Toxicological tests with taking test samples (blood):

- ciclosporin A, quantitative
- digoxin
- phenytoin, quantitative
- carbamazepine
- valproic acid
- bile acids

- lithium

Quick strip tests with taking test samples (blood):

- CRP strip test
- cholesterol strip test
- glucose meter test

Diagnostic imaging:

X-ray examinations:

- mammography
- mammography — targeted
- shoulder X-ray (transthoracic)
- shoulder X-ray, axial
- shoulder X-ray, bilateral axial
- shoulder X-ray, AP
- shoulder X-ray, AP + lateral
- shoulder X-ray: AP + bilateral – comparative image
- shoulder X-ray, AP, both — comparative image
- shoulder X-ray, AP + axial
- cranial X-ray, cranial nerve canals
- cranial X-ray orbits
- cranial X-ray PA + lateral
- Cranial X-ray PA + lateral + base
- cranial X-ray, base
- cranial X-ray, semi-axial by Orley
- cranial X-ray, sella turcica
- cranial X-ray, tangential
- lumbar functional X-ray
- cervical functional X-ray
- temporomandibular joint functional X-ray
- abdominal X-ray, other
- abdominal X-ray, supine
- abdominal X-ray, erect
- large intestine X-ray – rectal enema (with standard contrast agents)
- chest X-ray
- chest X-ray – X-ray tomography
- chest X-ray + lateral
- chest X-ray, lateral with barite
- Chest X-ray, other
- chest X-ray, PA + lateral with barium
- X-ray of chest, thyroid, trachea
- sacrococcygeal X-ray
- scaphoid X-ray
- X-ray of temporal bones, transorbital
- X-ray of temporal bones by Schuller / Stevers
- metatarsal X-ray
- femoral bone X-ray, AP + left lateral
- femoral bone X-ray, AP + right, lateral
- spinal X-ray AP, erect (scoliosis)
- spinal X-ray AP, erect + lateral (scoliosis)
- lumbar X-ray, AP + lateral
- X-ray of lumbar spine, AP + lateral + oblique
- X-ray of lumbar spine, lateral
- lumbosacral spine — AP + lateral
- X-ray of lumbosacral spine, oblique
- thoracic spine X-ray
- thoracic X-ray AP + lateral
- thoracic X-ray, AP + lateral + oblique

- lead

- troponin strip test
- pharyngeal swab for Streptococcus a. (Strep A) quick test
- thoracic X-ray, lateral
- thoracic X-ray, oblique views
- cervical X-ray
- cervical X-ray, AP + lateral
- cervical X-ray, lateral
- cervical X-ray, lateral + oblique (3 views)
- cervical X-ray, oblique views
- larynx X-ray – tomography
- elbow / forearm X-ray, AP + lateral
- elbow / forearm X-ray, AP + lateral, bilateral
- scapular X-ray
- pelvic and hip joint X-ray
- X-ray of sternum / chest lateral
- X-ray of sternum, AP
- wrist / hand X-ray, PA + lateral / oblique left
- wrist / hand X-ray, PA + lateral / oblique bilateral
- wrist / hand X-ray, PA + lateral / oblique right
- wrist X-ray, lateral
- wrist X-ray, lateral, both
- wrist X-ray, PA + lateral
- wrist X-ray, PA + lateral, both
- X-ray of both wrists, lateral
- nasal X-ray — lateral
- X-ray of nasopharynx
- clavicular X-ray
- X-ray of orbits + lateral (2 views)
- toe(s) X-ray, AP + lateral / oblique
- finger(s) X-ray, PA + lateral / oblique
- finger(s) X-ray, PA + lateral / oblique bilateral
- X-ray, small intestine passage (with standard contrast agents)
- heel X-ray — axial
- heel X-ray, lateral
- temporal bone pyramid X-ray, transorbital
- lower leg X-ray, AP + lateral
- lower leg X-ray, AP + bilateral lateral
- forearm X-ray, AP + lateral
- bilateral forearm X-ray, AP + lateral
- esophagus, stomach and duodenum X-ray (with standard contrast agents)
- hand X-ray, lateral
- hand X-ray, PA
- hand X-ray, PA + oblique
- hand X-ray, PA + oblique, bilateral
- hand X-ray PA, bilateral
- X-ray of both patellae axial
- bilateral patellar X-ray, axial in 2 positions
- bilateral patellar X-ray, axial in 3 positions
- X-ray of sacroiliac joints – PA
- X-ray of sacroiliac joints – oblique

- hip joint X-ray, AP
- bilateral hip joint X-ray, AP
- hip joint X-ray, axial
- knee joint X-ray, AP + lateral
- knee joint X-ray, AP + bilateral lateral
- bilateral knee joint X-ray — AP + lateral
- knee joint X-ray, lateral
- elbow joint X-ray
- ankle joint X-ray, AP + lateral

Ultrasound examinations:

- ultrasound / Doppler ultrasound of the abdominal aorta and pelvic arteries
- ultrasound / Doppler ultrasound of hepatic vessels (assessment of hepatic portal circulation)
- ultrasound / Doppler ultrasound of lower limb arteries
- ultrasound / Doppler ultrasound of upper limb arteries
- ultrasound / Doppler ultrasound of renal arteries
- ultrasound / Doppler ultrasound of carotid and vertebral arteries
- ultrasound / Doppler ultrasound of intracranial arteries
- ultrasound / Doppler ultrasound of lower limb veins
- ultrasound / Doppler ultrasound of upper limb veins
- ultrasonography of the eyeballs and orbits
- transabdominal gynaecological ultrasound
- transvaginal gynecological ultrasound
- abdominal ultrasound
- ultrasound of larynx
- ultrasound of post-traumatic muscle haematoma
- wrist ultrasound
- testicular ultrasound
- breast ultrasound
- transabdominal prostate ultrasound

Magnetic resonance imaging with standard contrast agents:

- magnetic resonance imaging (MRI) of the head
- magnetic resonance imaging (MRI) of the head + angiography
- magnetic resonance imaging (MRI) of the head, angiography
- magnetic resonance imaging (MRI) of the abdomen and small pelvis
- magnetic resonance imaging (MRI) of the abdominal cavity
- magnetic resonance imaging (MRI) of the abdominal cavity and pelvis
- magnetic resonance imaging (MRI) of the ankle joint
- magnetic resonance imaging (MRI) of the arm
- magnetic resonance imaging (MRI) of the bone pelvis
- magnetic resonance imaging (MRI) of the cervical spine (C)
- magnetic resonance imaging (MRI) of the chest
- magnetic resonance imaging (MRI) of the elbow joint
- magnetic resonance imaging (MRI) of the foot
- magnetic resonance imaging (MRI) of the forearm
- magnetic resonance imaging (MRI) of the hand
- magnetic resonance imaging (MRI) of the head and the hypophysis

Computer tomography with standard contrast agents:

- computed tomography of the abdominal aorta, angiography

- ankle joint X-ray, AP + lateral bilateral
- foot X-ray, AP + lateral / oblique
- foot X-ray, AP + lateral / oblique bilateral
- foot X-ray, AP (comparative)
- splanchnocranum X-ray
- paranasal sinus X-ray
- rib X-ray (unilateral), 2 oblique views
- mandibular X-ray
- urography (with standard contrast agents)
- trans-fontanelle ultrasound
- plantar aponeurosis ultrasound
- echocardiography – cardiac ultrasound
- hip joint ultrasound + orthopaedic consultation (under 1 year of age)
- hip joint ultrasound, children
- finger and metacarpophalangeal joint ultrasound
- shoulder joint ultrasound
- hip joint ultrasound
- knee joint ultrasound
- elbow joint ultrasound
- ankle joint ultrasound
- Achilles tendon ultrasound
- salivary gland ultrasound
- metatarsal ultrasound
- thyroid ultrasound
- ultrasound of subcutaneous tissue (lipomas, fibromas, etc.)
- transrectal prostate ultrasound
- urinary tract ultrasound
- urinary tract ultrasound + TRUS
- lymph node ultrasound
- ultrasound of ligaments, muscles, small joints

- magnetic resonance imaging (MRI) of the hip joint
- magnetic resonance imaging (MRI) of the hip joints
- magnetic resonance imaging (MRI) of the knee joint
- magnetic resonance imaging (MRI) of the lumbar spine
- magnetic resonance imaging (MRI) of the neck
- magnetic resonance imaging (MRI) of the orbits
- magnetic resonance imaging (MRI) of the pituitary gland
- magnetic resonance imaging (MRI) of the sacroiliac joints
- magnetic resonance imaging (MRI) of the shank
- magnetic resonance imaging (MRI) of the shoulder joint
- magnetic resonance imaging (MRI) of the sinuses
- magnetic resonance imaging (MRI) of the small pelvis
- magnetic resonance imaging (MRI) of the splanchnocranum
- magnetic resonance imaging (MRI) of the thigh
- magnetic resonance imaging (MRI) of the thoracic spine (Th)
- magnetic resonance imaging (MRI) of the wrist

- computed tomography of the head, angiography – examination of veins and sinuses of the brain
- computed tomography of the head, angiography – arteries

- low-dose computed tomography (CT) of the chest
- computed tomography of the head
- computed tomography of the abdomen
- computed tomography of the abdomen and small pelvis
- computed tomography of the abdomen (triple-phase)
- computed tomography of the chest
- computed tomography of the chest (HRCT)
- computed tomography of the chest and abdomen
- computed tomography of the chest, abdomen, small pelvis
- computed tomography of the temporal bones
- computed tomography of the lumbar spine
- computed tomography of the lumbar + sacral spine
- computed tomography of the thoracic spine
- computed tomography of the thoracic + lumbar spine
- computed tomography of the cervical spine
- computed tomography of the cervical + lumbar spine
- computed tomography of the cervical + thoracic spine
- computed tomography of the cervical + thoracic + lumbar spine
- computed tomography of the larynx

Endoscopic examinations with endoscopic biopsy specimen sampling (except for polyps):

- anoscopy
- histopathological examination — endoscopy biopsy material
- gastroscopy (with urease test)

- computed tomography of the bony pelvis
- computed tomography of the small pelvis
- computed tomography of the wrist
- computed tomography of the orbits
- computed tomography of the lower leg
- computed tomography of the forearm
- computed tomography of the pituitary gland
- computed tomography of the arm
- computed tomography of the hand
- computed tomography of the shoulder joint
- computed tomography of the knee joint
- computed tomography of the elbow joint
- computed tomography of the ankle joint
- computed tomography of the foot
- computed tomography of the neck
- computed tomography of the neck, thorax, abdomen, small pelvis
- computed tomography of the splanchnocranum
- computed tomography of the upper leg
- computed tomography of the sinuses

Other diagnostic tests and examinations:

- standard audiometry – supraliminal audiometry
- standard audiometry – verbal audiometry
- standard audiometry*
- standard* cardiac stress test
- dark adaptation test
- EEG examination following sleep deprivation
- EEG examination following sleep deprivation (children)
- standard* EEG (children)
- standard* EEG
- resting ECG
- EMG – electromyography – carpal tunnel syndrome, 1 hand
- EMG – electromyography – carpal tunnel syndrome, 2 hands
- GDX examination
- ganglion cell testing (GCC examination)
- OCT examination – one eye
- OCT examination, iridocorneal angle
- OCT examination of the macula
- RNFL and optic nerve tomography (OCT of the optic disc)

- uroflowmetry
- densitometry lumbar spine (trabecular bone assessment) — screening
- densitometry femoral collum (cortical bone assessment) — screening
- computerised visual field test
- pachymetry
- vibratory perception
- cold provocation test
- cold provocation test with skin thermometry and compression test
- cardiac stress test
- exercise ECG using a cycloergometer
- spirometry – diastolic test
- spirometry without medication
- tympanometry
- mounting pressure Holter (ABPM) device in a doctor's office
- mounting holter ecg monitor with 12 leads (for 24h)
- standard* ECG Holter fitting (for 24h) at the doctor's office

Technological advances can cause changes in the names and techniques of diagnostic tests:

- ✓ if the new test method **does not result in a change in the purpose and scope of the study** in accordance with its original purpose - these changes **do not affect the scope of the Health Benefit "Diagnostic tests and examinations "**;
- ✓ if the new test/examination method **results in an expansion of the scope of the test/examination** beyond the scope specified in accordance with its original purpose, **the additional elements of the test/examination are not included** in the scope of the Health Benefit "Diagnostic tests and examinations", and their implementation may result in **an additional charge** to the Eligible Person.



Allergy tests

The health service "Allergy tests" is performed:

- ✓ on the basis of a referral issued by the Physician, solely on the basis of medical indications in the course of the ongoing diagnostic and therapeutic procedure,
- ✓ solely in medical facilities indicated by LUX MED.

The results of allergy tests are provided to the Eligible Person in accordance with the standards in force in a given Medical Facility.

The scope of the service **includes** the following:

- **allergological consultation** – eligibility assessment before tests;

Allergic skin tests – performed by the point (prick) method, using standard allergens approved for use in the territory of the Republic of Poland:

- skin allergy tests – 1 spot
- skin allergy tests – food allergy panel
- skin allergy tests – inhaled allergens panel

Patch / contact skin tests – performed by the patch method, using standard allergens approved for use in the territory of the Republic of Poland:

- patch/contact tests – crural ulceration panel
- patch/contact tests – basic panel

Technological advances can cause changes in the names and

techniques of allergy tests:

- ✓ if the new test/examination method **does not result in a change in the purpose and scope of the test/examination** in accordance with its original purpose – these changes **do not affect the scope of** the health service "Allergic tests";
- ✓ if the new test/examination method **results in an expansion of the scope of the test/examination** beyond the scope
- ✓ specified in accordance with its original purpose, **the additional elements of the test/examination are not included** in the scope of the Health Benefit "Allergy tests", and their implementation may result in **an additional charge** to the Eligible Person.



Preventive health check

The health service "Preventive health check" aims at performing certain medical consultations and tests and examinations within the scope and then providing the Physician with recommendations for the future regarding his/her health status.

The health service "Preventive health check – option 2" is performed:

- ✓ **once in each 12-month agreement period**;
- ✓ in medical facilities indicated by LUX MED;
- ✓ solely for Eligible Persons **over 18 years of age**, depending on the gender;
- ✓ After prior appointment, the Eligible Person should report the need for the provision of the Health Service via the form available at: <https://www.luxmed.pl/strona-glowna/kontakt/infolinia.html>.

If a test or an examination from the scope of "Preventive health check – option 2" is marked as "**standard***" it should be understood as a service that is generally available and commonly used in the territory of the Republic of Poland, in accordance with current medical knowledge and clinical practice accepted under the conditions of the health care system in Poland.

The health service "Preventive health check – option 2" **does not include** medical consultations and tests and examinations not included in its scope – also in the event that there are medical indications to perform them during check-up. These examinations may be performed outside the scope of the health service "Preventive health check – option 2", at the expense of the Eligible Person or as part of his/her entitlement under the concluded agreement, as long as they are within the scope of health services of this agreement.

The health service "Preventive health check – option 2" **includes**:

for women:

- telephone **consultation that opens the check-up** regarding health status, during which a medical history is taken and referrals for tests or examinations are made as indicated;

medical consultations:

- gynaecological consultation
- dermatological consultation with standard* dermatoscopy
- ophthalmologist / optometry consultation

laboratory tests:

- fasting glucose
- HBs antigen
- HCV Ab/antibodies
- creatinine
- faecal occult blood (FOB)
- urinalysis
- blood count + platelet count + automated smear
- ESR
- GPT/ALT transaminase
- lipid profile (CHOL, HDL, LDL, TG)
- hPV HR test with possible LBC cytology (in the case of a positive HPV HR result)
- TSH/hTSH

imaging tests in case of legitimate medical indications, performed on the basis of a referral issued by the Physician as part of the check-up:

- breast ultrasound or mammography
- PA chest X-ray
- thyroid ultrasound
- abdominal ultrasound
- transabdominal gynaecological ultrasound or transvaginal ultrasound

functional tests / examinations:

- resting ECG
- spirometry
- internal medicine consultation that **concludes the check-up**, during which the Eligible Person obtains **recommendations for the future on their health status**.

for men:

- telephone **consultation that opens the check-up** regarding health status made by a Physician or a nurse, during which a medical history is taken and referrals for tests or examinations are made as indicated;

medical consultations:

- urological consultation
- ophthalmologist / optometry consultation

laboratory tests:

- fasting glucose
- urinalysis
- HBs antigen
- blood count + platelet count + automated smear
- HCV Ab/antibodies
- creatinine
- faecal occult blood (FOB)
- ESR
- uric acid
- GPT/ALT transaminase
- lipid profile (CHOL, HDL, LDL, TG)
- TSH/hTSH

imaging tests in case of legitimate medical indications, performed on the basis of a referral issued by the Physician as part of the check-up:

- PA chest X-ray
- abdominal ultrasound
- transabdominal prostate ultrasound
- testicular ultrasound
- thyroid ultrasound

functional tests / examinations:

- resting ECG
- spirometry
- internal medicine consultation that **concludes the check-up**, during which the Eligible Person obtains **recommendations for the future on their health status**.

Physiotherapy

The health benefit "Physiotherapy" allows an Eligible Person to use:

- ✓ **consultations with a physiotherapist;**
- ✓ **physiotherapy treatments in a number specified below;**
- ✓ **only based on referral** issued by a physical therapist or a Physician specialised in orthopaedics, neurology, neurosurgery, rheumatology, medical rehabilitation and balneology);
- ✓ in medical facilities indicated by LUX MED.

A consultation with a physical therapist **includes**: medical history taking, functional examination, physical therapist's advice and procedures necessary for making a functional diagnosis, making an appropriate therapeutic decision and determining the mode of medical rehabilitation.

A consultation with a physical therapist **does not include**: rehabilitation or kinesiotherapy activities (i.e., it does not include conducting Physiotherapy and Kinesiotherapy treatments).

The range of physiotherapy treatments **includes** exclusively rehabilitation of the motor organ and is provided subject to the fulfillment of eligibility criteria, which include:

- ✓ diagnosed osteoarthritis;
- ✓ occupational diseases of the musculoskeletal system (confirmed by a certificate);
- ✓ past orthopaedic injuries;
- ✓ pain syndromes of neurological origin;
- ✓ scar at the procedure site.

The scope of physiotherapy treatments **does not include** its costs in the case of rehabilitation that is carried out in connection with:

- ✓ congenital malformations and their consequences;
- ✓ perinatal injuries;
- ✓ chronic connective tissue disorders and their consequences;
- ✓ demyelinating diseases and their consequences;

- ✓ neurodegenerative diseases and their consequences;
- ✓ physiotherapy after surgeries not performed in the LUX MED Hospitals;
- ✓ cardiac incidents, neurological and cerebrovascular incidents;
- ✓ postural problems;
- ✓ urogynaecological physiotherapy;
- ✓ physiotherapy with highly specialised methods (mechanical methods, neurophysiological methods, osteopathic techniques);
- ✓ services in the nature of diagnostics and functional training, corrective gymnastics and fitness;
- ✓ physiotherapy of sterile necrosis;
- ✓ physiotherapy of keloid scars;
- ✓ burn conditions;
- ✓ visceral therapy – therapy of internal organs.

As part of "Physiotherapy" an Eligible Person **in each 12-month agreement period** may use: **20 physical therapy procedures and 10 kinesitherapy procedures (including therapeutic massage) and 3 rehabilitation procedures (neurokinesiology or postural defects)** from

the list of available procedures in the scope of physiotherapy and kinesitherapy:

- physical therapy – lower limb muscle electrostimulation
- physical therapy – upper limb muscle electrostimulation
- physical therapy – phonophoresis lumbar spine
- physical therapy – phonophoresis thoracic spine
- physical therapy – phonophoresis cervical spine
- physical therapy – phonophoresis wrist
- physical therapy – phonophoresis lower leg
- physical therapy – phonophoresis forearm
- physical therapy – phonophoresis arm
- physical therapy – phonophoresis hand
- physical therapy – phonophoresis shoulder joint
- physical therapy – phonophoresis hip joint
- physical therapy – phonophoresis knee joint
- physical therapy – phonophoresis elbow joint
- physical therapy – phonophoresis ankle joint
- physical therapy – phonophoresis foot
- physical therapy – phonophoresis upper leg
- physical therapy – galvanotherapy lumbar spine
- physical therapy – galvanotherapy thoracic spine
- physical therapy – galvanotherapy cervical spine
- physical therapy – galvanisation wrist
- physical therapy – galvanisation lower leg
- physical therapy – galvanisation forearm
- physical therapy – galvanisation arm
- physical therapy – galvanisation hand
- physical therapy – galvanisation shoulder joint
- physical therapy – galvanisation hip joint
- physical therapy – galvanisation knee joint
- physical therapy – galvanisation elbow joint
- physical therapy – galvanisation ankle joint
- physical therapy – galvanisation foot
- physical therapy – galvanisation upper leg
- physical therapy – ionophoresis lumbar spine
- physical therapy – ionophoresis thoracic spine
- physical therapy – ionophoresis cervical spine
- physical therapy – ionophoresis wrist
- physical therapy – ionophoresis lower leg
- physical therapy – ionophoresis forearm
- physical therapy – ionophoresis arm
- physical therapy – ionophoresis hand
- physical therapy – ionophoresis shoulder joint
- physical therapy – ionophoresis hip joint
- physical therapy – ionophoresis knee joint
- physical therapy – ionophoresis elbow joint
- physical therapy – ionophoresis ankle joint
- physical therapy – ionophoresis foot
- physical therapy – ionophoresis upper leg
- physical therapy – local cryotherapy lumbar spine
- physical therapy – local cryotherapy thoracic spine
- physical therapy – local cryotherapy cervical spine
- physical therapy – local cryotherapy wrist
- physical therapy – local cryotherapy lower leg
- physical therapy – local cryotherapy forearm
- physical therapy – local cryotherapy arm
- physical therapy – local cryotherapy hand
- physical therapy – local cryotherapy shoulder joint
- physical therapy – local cryotherapy hip joint
- physical therapy – local cryotherapy knee joint
- physical therapy – local cryotherapy elbow joint
- physical therapy – local cryotherapy ankle joint
- physical therapy – local cryotherapy foot
- physical therapy – local cryotherapy upper leg
- physical therapy – low-energy laser therapy of the lumbar spine
- physical therapy – low-energy laser therapy of the thoracic spine
- physical therapy – low-energy laser therapy of the cervical spine
- physical therapy – low-energy laser therapy of the wrist
- physical therapy – low-energy laser therapy of the lower leg
- physical therapy – low-energy laser therapy of the forearm
- physical therapy – low energy arm laser
- physical therapy – low energy laser
- physical therapy – low energy shoulder joint laser
- physical therapy – low energy hip joint laser
- physical therapy – low energy knee joint laser
- physical therapy – low energy elbow joint laser
- physical therapy – low energy secondary joint laser
- physical therapy – low energy laser foot
- physical therapy – low energy laser upper leg
- physical therapy – laser therapy for scar (excluding CO₂ laser)
- physical therapy – magnetic field therapy lumbar spine

- physical therapy – magnetic field therapy thoracic spine
- physical therapy – magnetic field therapy cervical spine
- physical therapy – magnetic field therapy wrist
- physical therapy – magnetic field therapy lower leg
- physical therapy – magnetic field therapy forearm
- physical therapy – magnetic field therapy arm
- physical therapy – magnetic field therapy hand
- physical therapy – magnetic field therapy shoulder joint
- physical therapy – magnetic field therapy hip joint
- physical therapy – magnetic field therapy knee joint
- physical therapy – magnetic field therapy elbow joint
- physical therapy – magnetic field therapy ankle joint
- physical therapy – magnetic field therapy foot
- physical therapy – magnetic field therapy upper leg
- physical therapy – diodynamic currents therapy lumbar spine
- physical therapy – diodynamic currents therapy thoracic spine
- physical therapy – diodynamic currents therapy cervical spine
- physical therapy – diodynamic currents therapy wrist
- physical therapy – diodynamic currents therapy lower leg
- physical therapy – diodynamic currents therapy forearm
- physical therapy – diodynamic currents therapy arm
- physical therapy – diodynamic currents therapy hand
- physical therapy – diodynamic currents therapy shoulder joint
- physical therapy – diodynamic currents therapy hip joint
- physical therapy – diodynamic currents therapy knee joint
- physical therapy – diodynamic currents therapy elbow joint
- physical therapy – diodynamic currents therapy ankle joint
- physical therapy – diodynamic currents therapy foot
- physical therapy – diodynamic currents therapy upper leg
- physical therapy – interferential currents therapy lumbar spine
- physical therapy – interferential currents therapy thoracic spine
- physical therapy – interferential currents therapy cervical spine
- physical therapy – interferential currents therapy wrist
- physical therapy – interferential currents therapy lower leg
- physical therapy – interferential currents therapy forearm
- physical therapy – interferential currents therapy arm
- physical therapy – interferential currents therapy hand
- physical therapy – interferential currents therapy shoulder joint
- physical therapy – interferential currents therapy hip joint
- physical therapy – interferential currents therapy knee joint
- physical therapy – interferential currents therapy elbow joint
- physical therapy – interferential currents therapy ankle joint
- physical therapy – interferential currents therapy foot
- physical therapy – interferential currents therapy upper leg
- physical therapy – TENS currents therapy lumbar spine
- physical therapy – TENS currents therapy thoracic spine
- physical therapy – TENS currents therapy cervical spine
- physical therapy – TENS currents therapy wrist
- physical therapy – TENS currents therapy lower leg
- physical therapy – TENS currents therapy forearm
- physical therapy – TENS currents therapy arm
- physical therapy – TENS currents therapy hand
- physical therapy – TENS currents therapy shoulder joint
- physical therapy – TENS currents therapy hip joint
- physical therapy – TENS currents therapy knee joint
- physical therapy – TENS currents therapy elbow joint
- physical therapy – TENS currents therapy ankle joint
- physical therapy – TENS currents therapy foot
- physical therapy – TENS currents therapy upper leg
- physical therapy – ultrasound therapy lumbar spine
- physical therapy – ultrasound therapy thoracic spine
- physical therapy – ultrasound therapy cervical spine
- physical therapy – ultrasound therapy wrist
- physical therapy – ultrasound therapy lower leg
- physical therapy – ultrasound therapy forearm
- physical therapy – ultrasound therapy arm
- physical therapy – ultrasound therapy hand
- physical therapy – ultrasound therapy shoulder joint
- physical therapy – ultrasound therapy hip joint
- physical therapy – ultrasound therapy knee joint
- physical therapy – ultrasound therapy elbow joint
- physical therapy – ultrasound therapy ankle joint
- physical therapy – ultrasound therapy foot
- physical therapy – ultrasound therapy upper leg
- physical therapy – ultrasound (in water)
- physical therapy – ultrasound therapy scars
- physical therapy – Trabert's current therapy lumbar spine
- physical therapy – Trabert's current therapy thoracic spine
- physical therapy – Trabert's current therapy cervical spine
- physical therapy – Trabert's current therapy wrist
- physical therapy – Trabert's current therapy lower leg
- physical therapy – Trabert's current therapy forearm
- physical therapy – Trabert's current therapy arm
- physical therapy – Trabert's current therapy hand
- physical therapy – Trabert's current therapy shoulder joint
- physical therapy – Trabert's current therapy hip joint
- physical therapy – Trabert's current therapy knee joint
- physical therapy – Trabert's current therapy elbow joint
- physical therapy – Trabert's current therapy ankle joint
- physical therapy – Trabert's current therapy foot
- physical therapy – Trabert's current therapy upper leg
- kinesitherapy – instructional exercises lumbar spine
- kinesitherapy – instructional exercises thoracic spine
- kinesitherapy – instructional exercises cervical spine
- kinesitherapy – instructional exercises wrist
- kinesitherapy – instructional exercises shank
- kinesitherapy – instructional exercises forearm

- kinesitherapy – instructional exercises arm
- kinesitherapy – instructional exercises hand
- kinesitherapy – instructional exercises shoulder joint
- kinesitherapy – instructional exercises hip joint
- kinesitherapy – instructional exercises knee joint
- kinesitherapy – instructional exercises elbow joint
- kinesitherapy – instructional exercises ankle joint
- kinesitherapy – instructional exercises foot
- kinesitherapy – instructional exercises thigh
- kinesitherapy – function-improving exercises lumbar spine
- kinesitherapy – function-improving exercises thoracic spine
- kinesitherapy – function-improving exercises cervical spine
- kinesitherapy – function-improving exercises wrist
- kinesitherapy – function-improving exercises shank
- kinesitherapy – function-improving exercises forearm
- kinesitherapy – function-improving exercises arm
- kinesitherapy – function-improving exercises hand
- kinesitherapy – function-improving exercises shoulder joint
- kinesitherapy – function-improving exercises hip joint
- kinesitherapy – function-improving exercises knee joint
- kinesitherapy – function-improving exercises elbow joint
- kinesitherapy – function-improving exercises ankle joint
- kinesitherapy – function-improving exercises foot
- kinesitherapy – function-improving exercises thigh
- kinesitherapy – individual therapy lumbar spine
- kinesitherapy – individual therapy thoracic spine
- kinesitherapy – individual therapy cervical spine
- kinesitherapy – individual therapy wrist
- kinesitherapy – individual therapy lower leg
- kinesitherapy – individual therapy forearm
- kinesitherapy – individual therapy arm
- kinesitherapy – individual therapy hand
- kinesitherapy – individual therapy shoulder joint
- kinesitherapy – individual therapy hip joint
- kinesitherapy – individual therapy knee joint
- kinesitherapy – individual therapy elbow joint
- kinesitherapy – individual therapy ankle joint
- kinesitherapy – individual therapy foot
- kinesitherapy – individual therapy upper leg
- kinesitherapy – individual therapy – scars
- kinesitherapy – lumbar spine traction
- kinesitherapy – cervical spine traction
- myorelaxation therapy – therapeutic spinal massage
- individual therapy using neurokinesiology

Dentistry

Dental standby duty

The health benefit "Dentistry, Dental standby duty" allows an Eligible Person to receive emergency dental care in the event of a sudden illness or accident.

The health service, depending on the medical facility, includes: coverage or reimbursement of the costs of emergency dental care **up to the maximum amount, i.e. PLN 350 per one or all cases of dental on an ad hoc basis in each 12-month agreement period.**

The scope of the health service provided **on an ad hoc basis includes only:**

- emergency tooth pulp devitalisation in a deciduous tooth with cavity dressing
- emergency tooth pulp devitalisation with cavity dressing
- emergency periapical abscess decompression
- emergency medicinal dressing on a deciduous tooth
- emergency medicinal dressing on a permanent tooth
- emergency extraction of a single-rooted tooth
- emergency extraction of a single-rooted deciduous tooth
- emergency extraction of a multi-rooted tooth
- emergency extraction of a multi-rooted deciduous tooth

- emergency dry socket irrigation + application of medication
- emergency single tooth X-ray
- emergency extraction of a tooth by intra-alveolar chiselling
- emergency repositioning and immobilisation of an avulsed tooth
- emergency dental abscess incision, including drainage
- emergency dental local infiltration anaesthesia
- emergency dental local permeation anaesthesia
- emergency dental intraoral conduction anaesthesia

The health care service is provided only outside the working hours of LUX MED's own Facilities.

A precondition for obtaining the health service "Dentistry – option 2, Dental standby duty" shall be for the patient to notify the need to attend a dental standby duty using our Phone Line (on 22 33 22 888), and then avail of the services at a medical facility indicated by LUX MED, in line with the instructions provided by the Phone Line staff.

If the indicated medical facility does not offer cashless services, the Eligible Person must cover the costs of the services performed in accordance with the applicable price list, then submit an application for a reimbursement with attached original invoices or receipts for services provided.

The invoice or receipt should include:

- ✓ particulars of the Eligible Person to whom dental standby duty services have been provided (at least name, surname, address of residence). If an Eligible Person is a minor, the invoice shall be issued for the de facto carer or legal guardian of the child, and the invoice should include the data of the minor Eligible Person to whom the services were provided;
- ✓ a list of services performed for the Eligible Person (indicated in the invoice) or an attached specification issued by the Medical Facility providing these services, indicating names of the given services, or a copy of the medical record related to the specific services provided;
- ✓ the number of performed services of a given type;
- ✓ the date of the services provided;
- ✓ the unit price of each healthcare service provided.

The application for reimbursement, together with the documents certifying the costs incurred, should be sent by the Eligible Person to LUX MED within **no more than 3 months** from the date the Health Service was provided to him/her. The mailing address to which the Application for Reimbursement should be sent is on the application form.

LUX MED shall reimburse the costs to the bank account number indicated in the Application Form (or in the case of minor Eligible Persons to the bank account of the de facto carer or legal guardian of the child) within 30 days from the date of delivery of the complete Application Form. If, in the course of verifying the Application, LUX MED requests the Eligible Person to supplement the Application or to complete the attached documentation proving that the costs have been incurred – the payment period referred to in the preceding sentence may be extended.

The application form for reimbursement is available at www.luxmed.pl

If, after the refund has been paid, LUX MED obtains evidence that it has been misled – as to the amount of the refund due or as to the identity of the Person entitled to receive the refund – as a result of which the refund in whole or in part has become undue, LUX MED may request that the Person who received the payment of the refund amount be reimbursed in whole or in part, together with statutory intervals calculated from the date of the transfer of the refund amount.

Preventive dental care

The health benefit “Dentistry, Preventive dental care” allows an Eligible Person to use **1 consultation with a dentist** specialised in **conservative dentistry in each 12-month agreement period**.

The health service is performed solely in medical facilities indicated by LUX MED and **includes**: dental consultation aiming at screening of the teeth of the Eligible Person by a dentist and performing oral hygiene procedures by a dental hygienist.

The scope of the health service **includes**:

- dental consultation
- dental fluoride treatment (Fluor Protector) 1 dental arch
- dental fluoride treatment (Fluor Protector) 1/2 of dental arch
- dental fluoride treatment (Fluor Protector) 2 dental arches
- instructions on oral hygiene
- tooth polishing
- periodontal scaling – complementary
- periodontal scaling from 1 dental arch
- periodontal scaling of all teeth
- deposit removal – sandblasting
- individual fluoride treatment, topical

Anaesthesia

The health service “Dentistry , Anaesthesia” allows an Eligible Person to benefit from anaesthesia during dental procedures and **includes** the following:

- dental anaesthesia with a WAND device
- dental local infiltration anaesthesia
- dental local permeation anaesthesia
- dental intraoral conduction anaesthesia

The health service “Dentistry – option 2, Anaesthesia” **does not include dental healthcare services performed under general anaesthesia**.

Conservative dentistry

The health benefit “Dentistry – option 2, Conservative dentistry” allows an Eligible Person to use **a consultation with a dentist** specialised in **conservative dentistry in medical facilities indicated by LUX MED and no more than two times in each 12-month agreement period**.

It includes **one** of the following conservative dentistry services:

- restoration of damaged incisal angle with regular light-cured composite
- glass ionomer filling
- tooth cavity filling 1 surface with regular light-cured composite
- tooth cavity filling 2 surfaces with regular light-cured composite
- tooth cavity filling 3 surfaces with regular light-cured composite

In addition, an Eligible Person can take advantage of **a 15% discount** from the price list of a given Medical Facility indicated by LUX MED for dental treatments in the field of **conservative dentistry** performed at that Medical Facility:

- examination of tooth vitality
- circumpalpar pin inlay
- cosmetic covering of enamel hypoplasia – composite veneer

- cosmetic covering of discoloured dentine in anterior teeth – composite veneer
- cauterisation of interdental papilla
- treatment of oral mucosa lesions

- medicinal dressing on a permanent tooth
- periodontal pocket irrigation
- periodontal pocket irrigation and drug application

Paedodontics

The health service "Dentistry, Paedodontics" allows an Eligible Person to use **a consultation with a dentist** specialised in **paedodontics** in **medical facilities indicated by LUX MED and no more than once in each 12-month agreement period**. It includes **one** of the following pedodontics services:

- baby tooth cavity filling 1 surface
- baby tooth cavity filling 1 surface, therapeutic
- baby tooth cavity filling 2 surfaces

- baby tooth cavity filling 2 surfaces, therapeutic
- baby tooth cavity filling 3 surfaces
- baby tooth cavity filling 3 surfaces, therapeutic

In addition, an Eligible Person can take advantage of **a 15% discount** from the price list of a given Medical Facility indicated by LUX MED for dental treatments in the field of **paedodontics** performed at that Medical Facility:

- vital pulp amputation in a tooth with unformed root
- amputation of devitalised deciduous tooth pulp
- tooth pulp devitalisation in a deciduous tooth with cavity dressing
- dentine impregnation – per tooth

- endodontic treatment of a deciduous tooth
- treatment of pulp necrosis in a deciduous tooth
- medicinal dressing on a deciduous tooth
- adaptation visit (children) – dentistry
- preventive fissure sealing – limit: 8

Dental surgery

The health service "Dentistry, Dental surgery" allows an Eligible Person to use **a consultation with a surgeon** in medical facilities indicated by LUX MED.

In addition, an Eligible Person can take advantage of **a 15% discount** from the price list of a given Medical Facility indicated by LUX MED for dental treatments in the field of **dental surgery** performed at that Medical Facility:

- dental abscess incision – including drainage
- surgical exposure of an impacted tooth
- surgical exposure of an impacted tooth with bracket attachment
- surgical extraction of a partially impacted tooth
- surgical tooth extraction – surgically complex
- frenuloplasty, meloplasty, glossoplasty — dentistry
- dry socket irrigation + application of medication
- sampling of a biopsy specimen in the oral cavity
- repositioning and immobilisation of an avulsed tooth
- apicoectomy of a posterior tooth
- apicoectomy of a posterior tooth, with retrograde root canal filling

- apicoectomy of an anterior tooth, with retrograde root canal filling
- apicoectomy of an anterior tooth
- single-rooted tooth extraction
- single-rooted deciduous tooth extraction
- extraction of a tooth by intra-alveolar chiselling
- extraction of a tooth by extra-alveolar chiselling with formation of a mucoperiosteal flap
- multi-rooted tooth extraction
- multi-rooted deciduous tooth extraction
- excision of a gingival flap within 1 tooth
- excision of a nodule, nodule-like lesion, mucocele — dentistry
- enucleation of odontogenic cyst
- surgical dressing – dentistry

Endodontics

The health service "Dentistry, Endodontics" allows an Eligible Person to use **a consultation with an endodontist** in medical facilities indicated by LUX MED.

In addition, the Eligible Person may benefit:

A 15% discount from the price list of a given Medical Facility indicated by LUX MED for dental treatments in the field of endodontics performed at that Medical Facility:

- tooth pulp devitalisation with cavity dressing
- chemical and mechanical root canal preparation
- root canal opening

- root canal filling
- crown-root inlay removal

A 10% discount from the price list of a given Medical Facility indicated by LUX MED for dental treatments in the field of **endodontics** performed at that Medical Facility:

- endodontic treatment of a premolar tooth under a surgical microscope Stage I
- endodontic treatment of a premolar tooth under a surgical microscope Stage II
- endodontic treatment of an incisor or a canine tooth under a surgical microscope Stage I

- endodontic treatment of an incisor or a canine tooth under a surgical microscope Stage II
- endodontic treatment of a molar tooth under a surgical microscope Stage I
- endodontic treatment of a molar tooth under a surgical microscope Stage II

- specialised assessment of tissue under a surgical microscope
- crown-root inlay removal under a surgical microscope

Prosthetics

The health service "Dentistry, Prosthetics" allows an Eligible Person to use **a consultation with a prosthodontist** in medical facilities indicated by LUX MED.

In addition, an Eligible Person can take advantage **of a 10% discount** from the price list of a given Medical Facility indicated by LUX MED **for dental treatments** in the field of **dental prosthetics** performed at that Medical Facility:

- face-bow examination and placement in articulator
- cementation of a prosthetic crown
- cementation of a bridge
- frame denture metal control and correction
- wax teeth control and correction
- malocclusion correction
- composite crown on glass fibre
- all-composite crown
- all-metal cast crown
- all-metal cast crown Stage I
- all-metal cast crown Stage II
- all-gold cast crown, premolar
- all-gold cast crown, premolar Stage I
- all-gold cast crown, premolar Stage II
- all-gold cast crown, molar
- all-gold cast crown, molar Stage I
- all-gold cast crown, molar Stage II
- all-gold cast crown, anterior tooth
- all-gold cast crown, anterior tooth Stage I
- all-gold cast crown, anterior tooth Stage II
- all-ceramic crown
- all-ceramic crown Stage I
- all-ceramic crown Stage II
- all-porcelain crown on zirconia
- all-porcelain crown on zirconia Stage I
- all-porcelain crown on zirconia Stage II
- porcelain crown on zirconia using CADCAM Lava Everest method
- porcelain crown on zirconia using CADCAM Lava Everest method Stage I
- porcelain crown on zirconia using CADCAM Lava Everest method Stage II
- porcelain crown on galvanised metal
- porcelain crown on galvanised metal Stage I
- porcelain crown on galvanised metal Stage II
- porcelain crown on metal without margin
- porcelain crown on metal without margin, Stage I
- porcelain crown on metal without margin, Stage II
- porcelain crown on metal with a ceramic margin
- porcelain crown on metal with a ceramic margin Stage I
- porcelain crown on metal with a ceramic margin Stage II
- porcelain crown on gold, premolar
- porcelain crown on gold premolar tooth Stage I
- porcelain crown on gold premolar tooth Stage II
- porcelain crown on gold, molar
- porcelain crown on gold molar tooth Stage I
- porcelain crown on gold molar tooth Stage II
- porcelain crown on gold, anterior tooth
- removal of a fractured tool from the canal under a surgical microscope
- interventional appointment during endodontic treatment

- overdenture on gold latch Stage I
- overdenture on gold latch Stage II
- frame denture
- frame denture Stage I
- frame denture Stage II
- frame denture with latches without latch cost
- frame denture with latches without latch cost Stage I
- frame denture with latches without latch cost Stage II
- protective splint sport
- protective splint sport colour
- splint denture
- occlusion alignment using articulator
- WAX UP
- WAX UP INTERDENT
- visualisation of prosthodontic treatment on a model
- all-ceramic crown-root inlay
- all-ceramic crown-root inlay Stage I
- all-ceramic crown-root inlay Stage II
- crown-root inlay cast metal
- crown-root inlay cast metal Stage I
- crown-root inlay cast metal Stage II
- crown-root inlay cast metal combined
- crown-root inlay cast metal combined Stage I
- crown-root inlay cast metal combined Stage II
- silver-palladium crown-root inlay
- silver-palladium crown-root inlay Stage I
- silver-palladium crown-root inlay Stage II
- silver-palladium crown-root inlay combined
- silver-palladium crown-root inlay combined Stage I
- silver-palladium crown-root inlay combined Stage II

Orthodontics

The health service "Dentistry, Orthodontics" allows an Eligible Person to use **a consultation with an orthodontist** in medical facilities indicated by LUX MED.

In addition, an Eligible Person can take advantage **of a 10% discount** from the price list of a given Medical Facility indicated by LUX MED **for dental treatments** in the field of **orthodontics** performed at that Medical Facility:

- occlusal analysis and treatment plan development
- block braces
- block braces Stage I
- block braces Stage II
- block braces with modification
- Derichsweiler apparatus
- expander braces
- wide-arch braces – tongue arch
- wide-arch braces – palatal arch
- wide-arch braces Bi-helix, Quad – helix
- wide-arch braces Bi-helix, Quad – helix Stage I
- wide-arch braces Bi-helix, Quad – helix Stage II
- Hass braces
- Hyrax braces
- Hyrax braces Stage I
- Hyrax braces Stage II
- MALU appliance
- Multi-P braces
- Nance braces
- flexible orthodontic appliance
- removable braces
- metal, ceramic, glass fibre crown-root inlay – standard
- crown-root inlay made of gold
- crown-root inlay made of gold Stage I
- crown-root inlay made of gold Stage II
- crown-root inlay made of gold combined
- crown-root inlay made of gold combined Stage I
- crown-root inlay made of gold combined Stage II
- composite crown ONLAY INLAY OVERLAY
- metal crown ONLAY INLAY OVERLAY
- porcelain crown ONLAY INLAY OVERLAY
- porcelain crown ONLAY INLAY OVERLAY Stage I
- porcelain crown ONLAY INLAY OVERLAY Stage II
- gold crown inlay
- spherical inlays
- functional impression using individual tray
- teflon replacement
- replacement of Rhein inlay/ball latch – 1 element
- reinforcement of a denture with an arch
- reinforcement of a denture with a gold-plated mesh
- reinforcement of a denture with a steel mesh
- ASC bracket
- latch/bolt/retainer point in frame denture
- latch / bolt / retainer point in frame denture Stage I
- latch / bolt / retainer point in frame denture Stage II
- Bredent latch – 1 element
- Rhein latch / ball latch – 1 element
- removal of a prosthetic crown – 1 element

- Stockfisch braces
- system Benefit braces Stage I
- system Benefit braces Stage II
- TWIN-BLOCK braces
- TWIN-BLOCK braces Stage I
- TWIN-BLOCK braces Stage II
- TWIN-BLOCK braces with a screw – modified
- TWIN-BLOCK braces with a screw – modified Stage I
- TWIN-BLOCK braces with a screw – modified Stage II
- multifunctional braces Molar rotator
- clear aligner follow-up
- clear aligner impression
- additional orthodontic element 1
- additional orthodontic element 2
- additional orthodontic element 3
- Carriere Distalizer
- one wire arch of fixed metal braces
- one wire arch of fixed braces nickel-free brackets
- one wire arch of fixed braces nickel-free brackets Stage I
- one wire arch of fixed braces nickel-free brackets Stage II
- one wire arch of fixed braces individual lingual brackets
- one wire arch of fixed braces individual lingual brackets Stage I
- one wire arch of fixed braces individual lingual brackets Stage II
- one wire arch of fixed braces crystal brackets
- one wire arch of fixed brace with crystal brackets Stage I
- one wire arch of fixed brace with crystal brackets Stage II
- one wire arch of fixed braces metal brackets
- one wire arch of fixed braces with metal brackets Stage I
- one wire arch of fixed braces metal and crystal brackets
- one wire arch of fixed braces metal and crystal brackets Stage I
- one wire arch of fixed braces metal and crystal brackets Stage II
- one wire arch of fixed braces with metal brackets Stage II
- one wire arch of fixed braces porcelain brackets
- one brace of metal, transparent braces
- one brace of metal, fixed braces
- orthodontist consultation in the course of treatment with removable braces
- orthodontist consultation in the course of treatment with fixed braces
- orthodontist's consultation with an impression
- retention control
- class II corrector
- lip-bumper
- 1/2 segment arch
- 1/3 segment arch
- models for diagnostic or planning purposes – orthodontist
- braces repair replacement of 1 element
- braces repair replacement of 2 elements
- braces repair replacement of 3 elements
- braces repair
- braces repair, addition of a wire element
- braces repair, plate breakage
- braces repair, 1 arch wire replacement ceramic brackets
- braces repair, 1 arch wire replacement 2D lingual brackets
- braces repair, 1 arch wire replacement metal brackets
- braces repair, 2 arch wires replacement ceramic brackets
- braces repair, 2 arch wires replacement 2D lingual brackets
- braces repair, 2 arch wires replacement metal brackets
- braces repair, arch wire replacement
- braces repair, 1 screw replacement
- braces repair, 2 screws replacement
- orthognathic treatment planning
- nance plate
- vestibular plate
- vestibular plate – infant trainer
- plate denture for children
- plate denture for children Stage I
- plate denture for children Stage II
- chin cap
- palatal expander
- NiTi palatal expander
- attachment of a crystal bracket
- attachment of a metal bracket
- retainer 1
- retainer 2
- retainer 3
- retainer arch 1 tooth
- retainer arch 6 teeth
- Guray/OBC wedging
- stripping – 1 tooth
- orthodontic acrylic splint
- space maintainer
- follow-up visit – fixed braces, 2D lingual brackets
- follow-up visit – fixed braces, crystal brackets
- follow-up visit – fixed braces, metal brackets
- follow-up visit – fixed braces, porcelain brackets
- follow-up visit in the course of treatment with removable braces
- follow-up visit in the course of treatment with fixed partial braces
- follow-up visit in the course of treatment with fixed braces x 1
- follow-up visit in the course of treatment with fixed braces with non-ligature Damon brackets – 1 arch
- visit with a vestibular plate
- visit with a chin cap
- visit with cusp grinding
- headgear
- retention plate
- acrylic bite splint
- wire arch replacement individual lingual brackets
- replacement of an aesthetic bracket
- replacement of an individual lingual bracket
- replacement of a metal bracket
- replacement of a 2D lingual metal bracket
- replacement of a porcelain bracket
- tooth separation procedure
- retention arch application
- retention arch application – maxilla
- retention arch application – mandible

- headgear application
- Herbst hinge
- Herbst hinge Stage I

- Herbst hinge Stage II
- removal of fixed braces
- removal of retention arch

Biological dentistry

The health service "Dental care, Biological dentistry" allows an Eligible Person to benefit from **a 10% discount** from the price list of a given Medical Facility indicated by LUX MED **for dental treatments** in the field of **biological dentistry** performed in in medical facilities indicated by LUX MED.

- streptococcus mutans saliva concentration using Saliva-Check Mutans (GC)
- Saliva-Check Buffer (GC) test
- bioreconstruction of lost tooth tissue using ACTIVA (Pulpdent)
- tooth decay infiltration – ICON (DMG)
- tri Plaque ID Gel (GC) control
- local application of MI VARNISH (GC) releasing bioavailable calcium, phosphate and fluoride
- minimally invasive tooth decay treatment using glass hybrid technology – EQUIA FORTE
- restoration of lost tooth tissue using BPA-free G-aenial
- enamel remineralisation with a Tooth Mousse preparation
- maintenance treatment using bioavailable calcium, phosphate and fluoride – GC MI Paste Plus
- molecular and biological assay for pathogens causing periodontitis/periimplantitis using Real-Time PCR – PET standard (MIP PHARMA) method
- molecular and biological assay for pathogens causing periodontitis/periimplantitis using Real-Time PCR – PET plus (MIP PHARMA) method
- molecular and biological assay for pathogens causing periodontitis/periimplantitis using Real-Time PCR – PET deluxe (MIP PHARMA) method
- application of bioactive dentin substitute – Biodentine (Septodont)

Dental X-ray

The health service "Dentistry, Dental X-ray" allows the Eligible Person to benefit, **on the basis of a referral** issued by a dentist, from the following:

- single tooth X-ray

In addition, an Eligible Person can take advantage **of a 15% discount** from the price list of a given Medical Facility indicated by LUX MED for:

- Panoramic X-ray

X-ray results are provided to the Eligible Person a medium conforming with the standard applicable in a given medical facility.

Guarantee

The Eligible Person is provided with a **24-month guarantee** for conservative treatment in the form of final filling of permanent teeth.

The condition for obtaining it is the systematic use by the Eligible Person **at least once in each 12-month period of the agreement** or according to an individually agreed schedule at Medical Facilities indicated by LUX MED the following healthcare services:

- ✓ **dental check-ups** at the dentist;
- ✓ **hygienic procedures** carried out by a Dentist or dental hygienist consisting of: cleaning teeth from tartar and plaque, as well as fluoridation;
- ✓ **complying with the Dentist's recommendations;**
- ✓ **maintenance of oral hygiene** as recommended by the Dentist and/or hygienist.

The guarantee **does not cover** conditions occurring as a result of: non-attendance at follow-up and prophylaxis visits, non-compliance with dentist's recommendations, mechanical injuries, accidents, missing posterior teeth (lack of support zones), pathological dental wear (bruxism) or other functional impairments of the masticatory apparatus, physiological bone atrophy and periodontal lesions, general co-morbidities affecting the stomatognathic system (diabetes, osteoporosis, epilepsy, history of radiotherapy and chemotherapy), or temporary fillings (e.g. provided until a prosthesis is prepared).

Home visits

The health service "Home visits" allows an Eligible Person to receive **1 home visit in each 12-month agreement period**, at the place of his/her residence, provided that it is within the current territorial coverage of home visits.

The current territorial coverage of the home visits is described at www.luxmed.pl. In cities where this service is not available, the Eligible Person may apply for reimbursement. Detailed return policies are available on the website indicated above.

An Eligible Person may apply for reimbursement **exclusively** in the case of **prior eligibility assessment** for a home visit by a LUX MED medical dispatcher.

Home visits are made only in **medically justified cases** when the health condition of the Eligible Person makes it impossible for him/her to reach the Medical Facility indicated by LUX MED, except in cases of immediate life-threatening conditions.

The premises **not considered** as justification for a home visit do not include, in particular:

- ✓ uncomfortable access to the facility;
- ✓ the need to receive a prescription or obtain sick leave.

A home visit is an **emergency service** provided solely on the visit request day and aimed at making a diagnosis and initiating treatment.

Treatment continuation and potential follow-up visits take place solely in medical facilities indicated by LUX MED.

The home visit service does not include the possibility of selecting a physician. The decision on accepting or refusing a home visit is made by the medical dispatcher based on the information provided.



Second Medical Opinion

The "Second medical opinion" health benefit allows an Eligible Person to verify a diagnosis by obtaining an independent medical opinion, prepared by internationally recognized doctors specialising in a particular field of medicine – without having to leave Poland.

The opinion is prepared on the basis of existing medical records and applies to cases in which: a diagnosis has been made, an injury has been diagnosed, surgical treatment has been recommended or a procedure has been performed.

The health benefit applies to the following diseases and conditions:

- coronary angioplasty
- bacterial endocarditis
- Alzheimer's disease
- Parkinson's disease,
- motor neuron diseases.
- type 1 diabetes
- tuberculosis
- benign brain tumor
- aplastic anemia
- renal insufficiency
- malignant tumour
- aorta surgery
- coronary artery bypass surgery
- heart valve surgery
- limb paralysis
- organ transplant
- chronic viral hepatitis
- extensive burns
- end-stage renal disease
- multiple sclerosis
- coma
- stroke
- loss of limb
- loss of speech
- loss of hearing
- loss of sight
- HIV infection
- encephalitis
- meningitis
- heart attack

Each claim covered under the health service is subject to a comprehensive analysis conducted by internationally recognised Medical Specialists selected on the basis of a patented analytical process.

A recognized medical specialist reviews the diagnosis or treatment plan suggested by the treating doctor of the Eligible Person, and then presents his/her detailed recommendations.

As part of the process of a second medical opinion, medical records, the results of imaging studies and specimens for histopathological examination are collected, if needed. The specialist doctor performs a detailed analysis of all available data and develops a **comprehensive report** including: **confirmation of the previous diagnosis and treatment**, or **a recommendation to change the medical management**. The report is prepared in English and translated into Polish.

In addition, under the Health Benefit, the Eligible Person may:

- ✓ as part of the service, also obtain from the specialist answers to basic questions about the particular condition via email, without the need to present full medical records, but only on the basis of a detailed phone interview;
- ✓ receive – in the form of a report – a proposal from three specialists outside the territory of the Republic of Poland with the highest competence to carry out further treatment.

In addition, under the health service, assistance is provided in arranging a consultation with a specialist of your choice, which **includes organisational support (excluding coverage of costs) outside Poland**, particularly in the following areas: arranging medical appointments; coordinating matters related to treatment; arranging hospital admission; booking appointments, accommodation and transportation; ongoing support for the Eligible Person at the place of treatment; monitoring the course of medical care; supervising the quality of medical services provided; checking the correctness of billed charges; negotiating discounts for health services.

10% discount on other services offered by LUX MED and Medycyna Rodzinna

The Eligible Person is entitled to a **10% discount** on healthcare services (excluding dental services) offered at LUX MED's own facilities – this applies to LUX MED and Medycyna Rodzinna medical facilities listed at www.luxmed.pl. The discount is calculated from the prices applicable at the aforementioned facilities. Discounts cannot be combined.

10% discount on medical procedures provided in PROFEMED

Each Eligible Person is entitled to a **10% discount** on all medical services provided at the PROFEMED facility counted based on the price list available at the facility. Discounts cannot be combined.